25/5/62

Contents and Index

of

Höfchen-Briefe

Volume 1960

Digitized by the Internet Archive
in 2025

https://archive.org/details/bayer-cropscience-journal_1960_13_index-contents

CONTENTS

List of Papers

Volume 1960

Boness, M.: "Trial Controls of Olive Fruit Fly — Field Tests in Corfu." P. 89—92.

de Bruin, H. J. and de Lint, M. M.: "Control of Late Blight of Potatoes *(Phytophthora infestans* [Mont.] de Bary) in Holland." P. 129—136.

v. Eickstedt, H.: "Use of Helicopters for Pest Control." P. 235—238.

Goeldner, H.: "Control of Pine Sawfly *(Diprion pini)* in Forests." P. 239—244.

Heddergott, H.: "On the Biology and Control of *Haplodiplosis equestris* Wagner." P. 93—128.

Jung, H. F., Kükenthal, H. and Technau, G: "BAYTEX (S 1752, Bayer 29493), a New Hygiene Insecticide from the Group of Low-Toxic Phosphoric Esters." P. 13—44.

Kolbe, W.: "Trial Controls of Olive Fruit Fly by means of LEBAYCID in Crete." P. 52—89.

Kolbe, W.: "On the Joint Control of Mangold Fly and Aphis Species on Beets, with LEBAYCID." P. 150—176.

Krämer, K.: "Tests on the Control of Apple Fruit Moth *(Argyresthia conjugella Zell)*." P. 185—196.

Küthe, K.: "Experience on the Use of FOLIDOL Oil for Treating Pome Fruit, especially against Winter Moth *(Cheimatobia brumata* L.)." P. 177—184.

Sasse, K.: "A New Group of Non-Phosphorous Acaricides." P. 197—207.

Schrader, G.: "Development of the Bayer Product 'S 1752'." P. 1—13.

Thill, H.: "FOLIDOL Oil for Controlling Red Spider Mite." P. 137—139.

Tietz, H., and Frehse, H.: "Methods of Determining Residues of Systemic Insecticides of the METASYSTOX Group in Plants." P. 212—221.

Unterstenhöfer, G.: "LEBAYCID, a New Insecticide of Low Toxicity." P. 44—52.

Unterstenhöfer, G.: "On the Present Level of Resistance to Insecticides and Acaricides." P. 141—150.

Unterstenhöfer, G.: "On a New Group of Acaricides". P. 207—211.

Voss, G., and Ehrhardt, P.: "Histological Studies on Vetch Aphis *(Megoura viciae* Buckt.) after Application of SYSTOX." P. 222—234.

Index of Authors

Volume 1960

A

Abbott, 91, 168
Adam, 58, 88
Ahlberg, 186, 190, 191, 193, 196
Alexopoulou, 87
Allbaugh, 61, 66, 85
Antongiovanni, 85
Argyriou, 86
Avidov, 56, 57, 85
Ayoutantis, 56, 57, 73, 86

B

Barlow, 20, 43
Barontini, 57, 86, 88
Bellod, 55, 86
Bender, 183, 184
Berlese, 54
Bertagna, 27, 43
Blaesen, 151, 152, 153, 174, 176
Blaszyk, 151, 174
Blinn, 217
Börner, 151, 174, 175
Boneß, 89—92
Booth, 151, 175
Boselli, 86
Bowman, 221
Bradley, 43
Braun, 143, 149
Bredemann, 53, 86
Bremer, 150, 153, 175
de Bruin, 129—136

C

Casida, 221
Cerf, 29, 32, 35, 37, 43
Ciampolini, 57, 86
de Cillis, 54
Cutright, 146, 149, 150

D

Danielidou, 87
Delfs, 7
Delucchi, 59, 86
Dörken, 2, 3, 8
Drosoulakis, 66
Dunning, 150, 175

E

Edson, 220
Ehrhardt, 222—234
von Eickstedt, 235—238
Engel, 184

F

Faber, 93, 97, 102, 103, 107, 128
Ferrière, 58, 86
Frehse, 212—221
Fukuto, 220, 221
Furst, 198

G

Gäumann, 143
Gasser, 150
Gersdorf, 175
Ghosh, 3
Goeldner, 239—244
Gösswald, 233
Gomez Clemente, 55, 86
Grewe, 198, 204
Gunther, 217

H

Hadaway, 20, 43
Hancock, 218, 221
Hanf, 176
Harpaz, 56, 57, 86
Heath, 213, 214, 220, 221
Hecht, 5, 11
Heddergott, 93—128
Hedicke, 128
Heidenhain, 223
Heiling, 176
Heinze, 174
Henderson, 168
Henglein, 221
Hennig, 53, 58, 86, 148, 150
Hopp, 222, 234
Hull, 151, 175

I

Isaakidès, 54, 59, 86

J

Janisch, 151, 175
Jegen, 53, 86
Jochum, 222, 223, 233, 234
Jones, 150, 175
Jucker, 221
Jung, 5, 7, 8, 13—44, 59, 87

K

Kalopissis, 55, 86
Karayannis, 87
Kaspers, 198, 206
Kennedy, 151, 175
Kersting, 150, 175
King, 15, 43
Klee, 222, 234
Klimmer, 206,
Kloft, 233
Köpf, 222, 234
Kolbe, 150—176
Koltermann, 150, 152, 175

Kortzas, 52, 86
Kourmoussis, 85
Kükenthal, 5, 13—44
Küthe, 177—184
Kuzmic, 65, 86

L

Laws, 215, 218, 221
Lebrun, 29, 32, 35, 37, 43
Lickerish, 220
Linder, 128
de Lint, 129—136
Logothetis, 52, 56, 87
Lorenz, 2
Lüers, H., 234
Lüers, Th., 222, 234

M

March, 11, 150, 209, 211, 220, 221
Martelli, 56
Martin, 56, 87
Mastenbrock, 129, 136
Maxon, 11, 220
McNeel, 43
Melis, 56, 57, 87
Mennicken, 204
Metcalf, 11, 142, 149, 150, 211, 212, 220, 221
Meyers, 136
Michel, 93
Micheloudakis, 59
Mijusković, 57, 87
Miller, 4
Mirćetić, 57, 87
Missonnier, 175
Mohrer, 56, 86
Molz, 151, 176
Moore, 57, 86
Morris, 198
Mourikis, 86
Mühlmann, 1, 8, 11, 176, 212, 217, 221
Müller, P., 14

N

Newman, 3
Niemöller, 176
Nonell Comas, 58

O

Orphanidis, 58, 80, 87

P

Park, 220
Pélécassis, 86
Peretz, 55, 88
Pestemer, 204, 206
Pietri-Tonelli, 57, 88
Pistor, 222, 234
Plaut, 55, 88
Plyta, 87
Psilakis, 59

R

Raftopoulos, 59
Read, 4
Reynolds, 221
Ripper, 220
Rockefeller Foundation, 15, 43
Roesler, 184
Romeis, 223, 234
von Rosenberg, 184
Rübsaamen, 97, 128
Rump, 176
Rupp, 88
Russo, 56, 57, 58, 88

S

Santoro, 57, 58, 88
Sasse, 197—207, 208
Schegk, 5, 12, 14, 43, 88
Schick, 93, 128
Schilder, 151, 175
Schneider-Orelli, 91
Schrader, G., 1—12, 14, 43, 52, 59, 88, 153, 176, 212, 221
Sebbel, 184
Silvestri, 58
Smith, 147, 150
Sörensen, 218
Soule, 60, 66, 85
Stafford, 220
Stapel, 153, 175
Steiner, 58, 88
Steudel, 151, 152, 153, 176

T

Tang, 15, 44
Taylor, 147, 150
Technau, 13—44
Theophrastus, 53
Thielemann, 174
Thill, 137—139
Tietz, 11, 212—221
Tilton, 168
Tominić, 56, 88
Trappmann, 54, 59, 89
Treboux, 20, 44
Triantaphyllidis, 53, 54, 89
Trierweiler, 154
Tsakas, 86
Tsamakis, 58, 87

U

Uhlig, 132, 136
Unterstenhöfer, 5, 44—51, 52, 59, 89, 141—150, 153, 176, 198, 201, 207—211

V

Vandekar, 213, 221
Voss, 222—234

W

Waede, 93, 128
Weber, H., 223, 234
Webley, 215, 218, 221
Wedemeyer, 7
Wegler, 201, 204, 208
Wiesmann, 89, 145, 150, 234
Wildbolz, 184
Winner, 150, 176
Winton, 221
Wirth, 11
Wolf, J. P., 220
Wybou, 44

Z

van der Zaag, 129, 136

General Index

A

Acanthoscelides obtectus, 18
Acaricides, 142, 146, 197—207, 207—211
Acaricides, resistance to, 141 — 150, 207, 209
Action, insecticidal (Eradex), 210
Action, ovicidal (Eradex), 210
Action, ovicidal (Lebaycid), 46, 51
Action, selective, 207
Action, systemic, 121
Aedes aegypti, 16, 19, 21, 24, 31, 38
Aerosol, 33
Anopheles, 14, 29, 38, 148
Anthonomus grandis, 142
Anthrenus scrophulariae, 18
Antibiotics, 143, 149
Aonidiella aurantii, 141, 146
Aphicides, 151
Aphidoidae, 222
Aphis fabae, 150—176, 223
Aphis species (on beets), 150—176
Apion pisi, 50
Apple fruit moth, 185—196
Apple sucker, 177, 178, 183
Argyresthia conjugella, 185—196
Arsenic, 148
Arsenic baits, 54
Arsenic compounds, 142
Arthropoda species, 18, 20, 43
Aspidiotus hederae, 49

B

Bactericides, 149
Bait sprays, 54, 55, 58
Bayer-4891a, 61, 62, 67, 69, 75, 78, 79, 90, 91
Bayer-4961, 61—63, 67, 69, 75, 79, 90, 91
Bayer-29493, 13—44
Bayer-S-1752, 1—44
Baytex, 13—44
Beet yellows, 150—176
Berlese method, 54, 58, 61
BHC, 142, 146
Blaberus fuscus, 17
Blaberus gigantens, 17
Blatta orientalis, 17
Blattella germanica, 17, 37
Boiling point (S 1752), 8
Boll weevil, 142
Braconidae, 210
Broad mite, 51
Bruchidius obtectus, 210
Bryobia rubrioculus, 137
Bud moth, 178, 183

C

Calandra granaria, 18, 50
Calliphora erythrocephala, 19
Callitroga macellaria, 149
Calotermis flavicollis, 222
Canker-resistance (potato), 142
Capua reticulana, 50
Carbamate, 155—170
Carpocapsa pomonella, 50
Casebearer moth, 50
Cemiostoma scitella, 50
Ceratitis capitata, 46, 47, 48, 58
Ceratonia siliqua, 59
Chalcids, 59
Chanos chanos, 15
Cheimatobia brumata, 50
Cherry sawfly, 50
Chironomidae, 15, 16
Chlordane, 146
Chlorinated hydrocarbons, 14, 29, 56, 142, 146, 147, 152, 222
Chlorinated hydrocarbons, resistance to, 29, 31, 37, 42
Chlorthion, 1—32, 155—174
Cholinesterase, 44
Chrysomya chlorophyga, 19
Chrysomyia putoria, 19
Ciba — 570, 58
Cimex lectularius, 20, 24, 26, 27, 37
Clysia ambiguella, 50
Codling moth, 50, 185
Cold fog application, 121
Coleophora spec., 50
Coleoptera, 17, 18, 52
Contact action (Lebaycid), 47, 48, 80, 85
Contact poisons, 142, 151, 211
Copper oxide, 133
Copper oxycarbonate, 133

Copper oxychloride, 131—134
Culex fatigans, 29—35, 38
Culex pipiens, 16, 19, 38
Culicidae, 15
Cutaneous toxicity, 11

D

Dacus dorsalis, 58
Dacus oleae, 46, 47, 52—89, 89—92
Dermestes frischi, 18
Dermestes lardarius, 18
Diamondback moth, 49
Diazinon, 32, 58, 60—63, 67, 70, 71, 75—77, 79, 90, 91, 152
Dichlorodiphenyl trichloraethane, 14, 28, 32, 42, 45, 56, 121—123, 128 142, 145—149, 155—174, 178—181, 184, 191—193, 159, 222
Dicontal, 155—174
Dieldrin, 14, 32, 42, 56, 121, 123, 142, 146, 155, 156
Dinarmus dacicida, 58
Diprion pini, 239—244
Diptera, 17—19, 46, 48, 52, 92
Dipterex, 32, 58, 61, 62, 67, 68, 69, 70, 74—79, 84, 90, 91, 121, 122, 124, 128, 152, 154—174, 239—244
Dipterex Soluble Powder, 156—161
Disyston, 152, 214
DNOC tar oil, 137, 138
Drosophila melanogaster, 19, 46

E

E 605 forte, 8—10, 56, 90, 91, 152, 191, 192, 193, 195, 196, 222
Ekatin, 58
Encephalitis, 142
Endrin, 121—124, 142, 152
Ephestia kühniella, 210
Eradex, 197—207, 207—211
Eriocampoides limacina, 50
Eriophyes ribis, 51
Eriophyidae, 210
Eriosoma lanigerum, 49
Ermine moth, 50, 177
Erysiphaceae, 209
Ethyl-E 605, 8, 11, 56, 59—78, 84, 90, 91, 92
Eulophus longulus, 58
Eumarchalia gennadii, 59
Eupelmus urozonus, 59
Eurytoma rosae, 58

F

Fannia canicularis, 19, 41
Fish toxicity, 1, 15, 16, 43
Flies, 37, 40, 41
Fluoroacetamide, 157, 158
Fog applicators, 126
Folidol-E 605 forte, 60—63, 67—72, 74—79, 82, 84, 90, 91
Folidol-M 50, 60—63, 67—72, 74—79, 82, 84, 90, 91
Folidol oil, 137—139, 177—184
Fruit tree spider mite, 51, 137—139, 147, 211

G

Galleria mellonella, 210
Gambusia, 15
Geotaxis, 106
Gryllus domesticus, 17
Gusathion, 11, 52
Gusathion A, 156—174

H

Haplodiplosis equestris, 93—128
HCH, 32, 56
HCN, 142
Helicopters, for pest control, 235—239
Hemitarsonemus latus, 51
Henschoutedenia flexivitta, 17
Heptachlor, 142
Hercinothrips femoralis, 51
Hercules, 426, 32
Heteroptera, 50
Histology, 222—234
Hoja blanca, 238
Homoptera, 48, 52
Hops (residues), 221
House fly, 19, 22, 24, 40, 41, 46, 47, 142, 143, 146, 149, 222
Hydrocyanic acid, 141
Hydrolysis (Eradex), 206

Hydrolysis (S 1752), 8
Hygiene insecticide, 13—43
Hygiene pests, 42, 60
Hymenoptera, 50
Hyponomeuta spec., 50

I

Ichneumon flies, 59
Ichneumonidae, 210
Initial effect (clean-up), 40—42, 59, 65, 79, 90, 126, 147
Insecticides, resistance to, 141—149, 207
Insecticides, synthetic, 141, 152
Insecticides, systemic, 212—221
Inula viscosa, 59
Isosystox, 213
Ixodidae, 17

J

Jagrehnia testacea, 17

K

Korlan, 32

L

Late blight, 129—136
Lebaycid, 44—51, 52—92, 150—176
Lebistes reticulatus, 15, 16
Lecanium corni, 49
Lepidoptera, 49, 52
Lepidosaphes ulmi, 49
Lime-sulphur mixture, 141
Lindane, 121—124, 128, 155—174, 178—181, 184, 191—193, 195
Locusta migratoria, 17
Lucilia sericata, 19

M

Macrophoma dalmatica, 57, 59
Macrosiphon solani, 168, 170
Malaria, 13, 14, 15, 142
Malathion, 32, 58, 147
Mammalian toxicity, 6, 13, 44 45, 59
Maneb, 133, 134
Mangold fly, 46, 150—176
Mechanism of action, 44, 197, 209
Mediterranean fruit fly, 46—48
Megoura viciae, 222—234
Meligethes aeneus, 50
Metaisosystox, 213, 214, 217, 219
Metasystox, 1, 13, 51, 60, 63, 67—71, 79, 82, 121, 122, 124, 152—174, 212—220
Metasystox (i), 155—174, 214, 219, 238
Metasystox R, 156, 174, 214
Metatetranychus ulmi, 137
Methanol, 9
Methoxychlor, 146
Methyl-E 605, 8, 11
Molecular weight (Lebaycid), 45
Morphology *(Haplodiplosis equestris)*, 96—103
Mosquitoes, 1, 15, 16, 29, 37, 38,
Mosquito repellent, 34
Musca domestica, 19, 22, 23, 24, 40, 41, 46, 47, 142, 143
Muscatox, 28, 32
Muscina stabulans, 149
Mylone 85 W, 32
Myropites limbardae, 59
Myxomatosis, 143
Myzodes persicae, 49, 150—174

N

Nematocera, 15, 16, 97,
Nexion, 58

O

Oak leaf roller moth, 50
Olive fruit fly, 46, 52—89, 89—92
Olive kernel borer, 58
Opius concolor, 58
Ornamentals (sensitivity to Lebaycid), 51
Ornithodorus, 20

Orthoptera, 17
Oryzaephilus surinamensis, 18
Oxidation (Eradex), 206

P

Paramecium, 144
Parasitization (larvae), 58
Parathion, 56—58, 146
Particle analysis (Baytex), 20
Pear leaf blister moth, 50
Pediculus humanus capitis, 149
Pegomyia betae, 150—176
Pegomyia hyoscyami, 46, 47
Pentatomids, 92
Periplaneta americana, 17
Periplaneta australasiae, 17
Phormia regina, 19, 149
Phosphamidon, 58
Phosphoric ester, 123, 152
Phyllobius piri, 50
Phytonomus variabilis, 50
Phytophthora infestans, 129—136
Phytophthora-resistance, 142
Phytotoxicity, 44, 51, 92, 211
Piesma quadrata, 50
Pine sawfly, 239—244
Plutella maculipennis, 49
Pnignalio mediterraneus, 58
Poeciliidae, 15
Polytoxicity, 44
Potato beetle, 142
Potatoes (residues), 221
Potency, acaricidal (Lebaycid), 51, 199—201, 207—211
Potency, aphicidal (Lebaycid), 48, 49
Potency, insecticidal (Baytex), 17, 43
Potency, insecticidal (Lebaycid), 46
Potency, larvicidal (Lebaycid), 46
Potency, ovicidal (Lebaycid) 46
Prays oleellus, 58
Pre-blossom spray, 177
Preventive spraying, 56—58
Prolasioptera berlesiana, 57, 58
Properties, acaricidal (Lebaycid), 46
Properties, chemical (Lebaycid), 45
Properties, insecticidal (Lebaycid), 46
Properties, physical (Lebaycid), 45
Pseudococcus citri, 49
Pyrethrum, 146
Pyrolan, 32

R

Refractive index (Lebaycid), 45
Repellent, mosquito, 34
Residual action, 69, 70, 71, 73, 75—79, 90, 126, 128, 172
Residual contact insecticides, 13, 14, 42
Residual deposits (Baytex), 27, 43
Residual effect (Baytex), 21, 22, 23, 24—27, 29, 35, 37, 40—43
Residual effect (Lebaycid), 49, 59, 71
Residue problems, 46, 89, 212—221
Residues, toxic, 56
Resistance, 14, 32, 37, 42, 49, 56, 129, 141—149, 197, 209, 222
Resistance phenomena, 142
Resistant crop varieties, breeding of, 142, 143
Resistant strains, 14, 29, 197
Rhizotrogus solstitialis, 50
Rhodnius prolixus, 20, 24
Rhyparobia madeirae, 17
Rogor, 58
Rust resistance, 142
Rynchota, 17, 20

S

S 1752, 1—44
San José scale, 141
Saponification (S 1752), 8
Scale insects, 49, 146, 177
Schistocerca gregaria, 17
Secondary effects (phytotoxicity), 44
Selection, 144, 145
Selectivity, 44, 207, 211
Selenium compounds, 142
Selinon, 178, 179, 181
Sitona spec., 50
Sleeping sickness, 142
Smut resistance, 142
Sodium arsenate, 136
Sogata, 238
Solubility (S 1752), 8
Solubility (Lebaycid), 45

Sorbus aucuparia, 185—196
Specific gravity (Lebaycid), 45
Spider mites, 51, 137—139, 142, 197—207
St. John's bread, 59
Stomach poisons, 142, 211
Stomoxys calcitrans, 41
Sulphonamides, 143
Sulphur compounds, 142
Summer fruit tortricid, 50
Susceptibility, percutaneous, 47
Suspension property (Baytex), 20
Systox, 11, 152, 212, 222—234

T

Tarsonemidae, 210
Tenebrio molitor, 18
Tetranychidae, 210
Tetranychus bimaculatus, 147
Tetranychus telarius, 51, 199, 200, 201, 202, 203
Tetranychus viennensis, 51
Thigmotaxis, 106
Thiodan, 222
Thiometon, 58, 60, 63, 67, 69, 70, 79, 155—174
Thysanoptera, 50
Ticks, 13
Toluic acid-NN-diethylamide, 34
Tortrix viridana, 50
Toxaphene, 56, 142, 146
Toxicity, fish, 1, 15, 16, 43
Toxicity, cutaneous, 11
Toxicity, mammalian, 6, 13, 44, 45, 59
Toxity, peroral, 48, 206, 207
Trap bottle method (olive fruit fly), 55
Trap sheet method, 240
Trap trees (apple fruit moth), 195
Triatoma infestans, 20
Tribolium casteneum, 18
Tribolium destructor, 18
Trogoderma granarium, 18
Trypetidae, 60, 89
Typhus, 142

V

Vapour pressure (S 1752), 8
Vector control (beets), 150—176
Vetch aphis, 222—234
Vicia faba, 223
Volatility (S 1752), 8

W

Warble fly larvae, 13
Weed-killing, 126
Winter moth, 50, 177—184
Winter spraying, 137, 177
Woolly aphis, 49
World Health Organization (WHO), 14

Y

Yellows (beet), 150—176

Z

Zineb, 133, 134

E. 100—6101/34741